

**Typical analysis:**

SAE	15	22	32	46	68
• Density at 15°C	: 0.864	0.865	0.873	0.876	0.880
• Viscosity at 40°C /cSt	: 15	22	32	46	68
• Viscosity at 100°C / cSt	: 3.3	4.3	5.2	6.7	8.7
• Viscosity index	: 87	98	98	98	98
• Flash point °C	: 175	190	210	220	230
• Pour point °C	: -15	-12	-12	-12	-12
• Colour	: 0.5	0.5	1.0	L1.5	L1.5

SAE	100	150	220	320	460
• Density at 15°C	: 0.883	0.886	0.890	0.894	0.898
• Viscosity at 40°C /cSt	: 100	150	220	320	460
• Viscosity at 100°C / cSt	: 12.3	14.8	18.9	24.2	30.7
• Viscosity index	: 98	98	96	96	96
• Flash point °C	: 246	260	270	276	300
• Pour point °C	: -12	-12	-12	-9	-9
• Colour	: L 1.5	2.0	3.0	4.0	4.5