

MATERIAL SAFETY DATA SHEET

FORCE COOLANT -26°	Revision date: 29/04/2010 Replaces: /
	RESPONSIBLE COMPANY: Ruscoforce NV Industrieweg 2 BE-3620 Lanaken Belgium Phone:+32.89.730550 Fax:+32.89.730550 Emergency phone worldwide: +32.70.245.245 E-mail: info@ruscoforce.com Website: www.ruscoforce.com

1. IDENTIFICATION OF THE PRODUCT:

Identification : liquid compound
Kind of product : special additive
Concentration in use : 100 %

2. HAZARDS IDENTIFICATION:

This is a hazardous preparation with following risks: Harmful if swallowed.

3. COMPOSITION AND INFORMATION ON DANGEROUS COMPONENTS:

Dangerous components	%	Symbol	R-Phrases	CAS N°	EINECS N°
Ethyleneglycol	25 - 50	Xn	22	107-21-1	203-473-3

4. FIRST AID MEASURES:

Always ask medical advice as soon as possible should serious or continuous disturbances occur

Skin contact : rinse with water

Eye contact : rinse first with plenty of water, if necessary seek medical attention

Ingestion : rinse first with plenty of water, if necessary seek medical attention

Inhalation : in case of serious or continuous discomforts: remove to fresh air and seek medical attention

5. FIRE FIGHTING MEASURES :

Fire extinguishing agents : none

Extinguishing agents to be avoided : none

Special preventive measures in case of fire : none

6. ACCIDENTAL RELEASE MEASURES:

Preventive measures : keep in a sealed container, out of reach of children
Personal safety measures : no eating, drinking or smoking during work
Environmental measures : none
Measures in case of leakage : dilute with water

7. HANDLING AND STORAGE:

Special preventive measures in handling and storing : keep in a sealed container in a closed, frost-free, ventilated room
Packing materials to be avoided : none
Preventive measures : handle with care to avoid spillage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Inhalation protection : universal mask
Skin protection : none
Eye protection : none
Other protection : none
Follows a list of the hazardous elements mentioned
sub 3. of which the TLV value is known :

Ethyleneglycol 52 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES:

Melting point/melting range, °C	:	0
Boiling point/Boiling range, °C	:	100 - 192
pH	:	6,6
pH 1% diluted in water	:	/
Vapour pressure/20°C, Pa	:	2332
Relative density/20°C	:	1,050
Physical state/20°C	:	liquid
Flash point, °C	:	/
Ignition point, °C	:	432
Solubility in water	:	completely soluble
Odour	:	characteristic
Dynamic viscosity, mPa.s/20°C	:	1
Kinematic viscosity, mm ² /s/20°C	:	1
Volatile organic component (VOC), %	:	0
Volatile organic component (VOC), g/l	:	420

10. STABILITY AND REACTIVITY:

Dangerous reactions with : none known
Circumstances to be avoided : none known

11. TOXICOLOGICAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 3
Calculated acute toxicity, LD50 Oral Rat: 4876 mg/kg

12. ENVIRONMENTAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 3
Biological degradability : The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
Water hazard class, WGK: 1

13. DISPOSAL CONSIDERATIONS:

Draining into the sewers is not permitted. Removal should be carried out by licensed services.
Possible restrictive regulations by local authority should always be adhered to.

14. TRANSPORT INFORMATION:

Class & number	:	, /
Identification number of the hazard	:	/
Identification number of the substance	:	ADR not applicable, /, /
Labels	:	/

15. REGULATORY INFORMATION:

Labels:



Harmful

Risk phrases

R22 Harmful if swallowed.

Safety phrases

/

S2 Keep out of reach of children.

S46 If swallowed, seek medical advice immediately and show this container or label.

Contains

Ethylene glycol

16. OTHER INFORMATION:

R-Phrases, mentioned in point 3, not of application on the preparation.

Risks connected to the preparation and its hazardous components : R22 Harmful if swallowed.

Reason of revision, changes of following items: /

Composition by regulation (EC) No 648/2004: /

This safety information sheet has been compiled in accordance with annex II of the REACH-directive EG 1907/2006. Classification has been calculated in accordance with the European directive 67/548/EWG, 1999/45/EC and regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care, we cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. It is the responsibility of the user to take the necessary measures in order to comply with the local laws and regulations. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.

MSDS reference number : ECM-104863-E