

MATERIAL SAFETY DATA SHEET

CHIEF OIL YACOMI SERIES	Revision date: 26/02/2010 Replaces: 25/02/2010
	RESPONSIBLE COMPANY: RUSCOFORCE NV Industrieweg 2 Be-3620 Lanaken Belgium Phone:+32.89.73.05.50 Fax:+32.89.73.05.56 Emergency phone worldwide:+32.70.245.245 E-mail:info@ruscoforce.com Website:www.ruscoforce.com

1. IDENTIFICATION OF THE PRODUCT:

Identification : liquid compound
Kind of product : oil
Concentration in use : 100 %

2. HAZARDS IDENTIFICATION:

This is a hazardous preparation with following risks: Harmful: may cause lung damage if swallowed Repeated exposure may cause skin dryness or cracking

3. COMPOSITION AND INFORMATION ON DANGEROUS COMPONENTS:

Dangerous components	%	Symbol	R-Phrases	CAS N°	EINECS N°
Isoparaffinic hydrocarbon	25 - 50	Xn	65-66	90622-58-5	292-460-6
Long chain alkyl polyamide amine, fatty esters	10 - 25	Xi	36/38-52/53		

4. FIRST AID MEASURES:

Always ask medical advice as soon as possible should serious or continuous disturbances occur
Skin contact : remove contaminated clothing, rinse skin with plenty of water
Eye contact : rinse first with plenty of water and seek medical attention
Ingestion : rinse mouth with water and and seek medical attention
Inhalation : in case of serious or continous discomforts: remove to fresh air and seek medical attention

5. FIRE FIGHTING MEASURES :

Fire extinguishing agents : non flammable
Extinguishing agents to be avoided : none
Special preventive measures in case of fire : none

6. ACCIDENTAL RELEASE MEASURES:

Preventive measures : keep in a sealed container, out of reach of children
Personal safety measures : no eating, drinking or smoking during work
Environmental measures : do not allow to flow into sewers or open water
Measures in case of leakage : remove by using absorbent material

7. HANDLING AND STORAGE:

Special preventive measures in handling and storing : keep in a sealed container in a closed, frost-free, ventilated room
Packing materials to be avoided : none
Preventive measures : handle with care to avoid spillage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Inhalation protection : universal mask
Skin protection : gloves, chemical proof
Eye protection : none
Other protection : protective clothing
Follows a list of the hazardous elements mentioned
sub 3. of which the TLV value is known :

Isoparaffinic hydrocarbon 1200 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES:

Melting point/melting range, °C	: /
Boiling point/Boiling range, °C	: 185 - 213
pH	: /
pH 1% diluted in water	: /
Vapour pressure/20°C, Pa	: 30
Relative density/20°C	: 0,900
Physical state/20°C	: liquid
Flash point, °C	: /
Ignition point, °C	: 200
Solubility in water	: insoluble
Odour	: characteristic
Dynamic viscosity, mPa.s/20°C	: /
Kinematic viscosity, mm ² /s/20°C	: /
Volatile organic component (VOC), %	: No data available
Volatile organic component (VOC), g/l	: No data available

10. STABILITY AND REACTIVITY:

Dangerous reactions with : none known
Circumstances to be avoided : none known

11. TOXICOLOGICAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 3
Calculated acute toxicity, LD50 Oral Rat: No data available mg/kg

12. ENVIRONMENTAL INFORMATION:

About the substance itself : not applicable under actual EEC guidelines for preparations
General information : see ingredients under section 3
Biological degradability : not applicable
Water hazard class, WGK: No data available

13. DISPOSAL CONSIDERATIONS:

Draining into the sewers is not permitted. Removal should be carried out by licensed services.
Possible restrictive regulations by local authority should always be adhered to.

14. TRANSPORT INFORMATION:

Class & number	:	, /
Identification number of the hazard	:	/
Identification number of the substance	:	ADR not applicable, /, /
Labels	:	/

15. REGULATORY INFORMATION:

Labels:



Harmful

Risk phrases

- R65 Harmful: may cause lung damage if swallowed
R66 Repeated exposure may cause skin dryness or cracking

Safety phrases

/

- S2 Keep out of reach of children.
S23 Do not breathe spray.
S24 Avoid contact with skin.
S46 If swallowed, seek medical advice immediately and show this container or label.

Contains

Isoparaffinic hydrocarbon

16. OTHER INFORMATION:

R-Phrases, mentioned in point 3, not of application on the preparation.

Risks connected to the preparation and its hazardous components : R36 Irritating to eyes. R38 Irritating to skin. R52 Harmful to aquatic organisms. R53 May cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed R66 Repeated exposure may cause skin dryness or cracking

Reason of revision, changes of following items: 9, 16

Composition by regulation (EC) No 648/2004: Aliphatic hydrocarbons 15 < 30%

This safety information sheet has been compiled in accordance with annex II of the REACH-directive EG 1907/2006. Classification has been calculated in accordance with the European directive 67/548/EWG, 1999/45/EC and regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care, we cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. It is the responsibility of the user to take the necessary measures in order to comply with the local laws and regulations. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.

MSDS reference number : ECM-104800-E